





## SP 14A

Submersible pumps, motors and accessories  
50 Hz




## SP 14A



TM00 7276 4702

Explanation of efficiency curve, please see "Curve conditions" on page 4.

## Dimensions and weights



TM00 0957 1196

| Pump type | Motor   |            | Dimensions [mm] |        |                  |        |                  |     |     | Net weight [kg] |                  |
|-----------|---------|------------|-----------------|--------|------------------|--------|------------------|-----|-----|-----------------|------------------|
|           | Type    | Power [kW] | C               | B      |                  | A      |                  | D   | E   |                 |                  |
|           |         |            |                 | 1x230V | 3x230V<br>3x400V | 1x230V | 3x230V<br>3x400V |     |     |                 |                  |
|           |         |            |                 |        |                  |        |                  |     |     | 1x230V          | 3x230V<br>3x400V |
| SP 14A-5  | MS 402  | 1.5        | 510             | 346    | 346              | 856    | 856              | 95  | 101 | 18              | 17               |
| SP 14A-7  | MS 4000 | 2.2        | 640             | 573    |                  | 1213   |                  | 95  | 101 | 29              |                  |
| SP 14A-7  | MS 402  | 2.2        | 640             |        | 346              |        | 986              | 95  | 101 |                 | 19               |
| SP 14A-10 | MS 4000 | 3.0        | 835             |        | 493              |        | 1328             | 95  | 101 |                 | 27               |
| SP 14A-13 | MS 4000 | 4.0        | 1030            |        | 573              |        | 1603             | 95  | 101 |                 | 33               |
| SP 14A-18 | MS 4000 | 5.5        | 1355            |        | 673              |        | 2028             | 95  | 101 |                 | 41               |
| SP 14A-25 | MS 4000 | 7.5        | 1810            |        | 773              |        | 2584             | 95  | 101 |                 | 67               |
| SP 14A-18 | MS6     | 5.5        | 1417            |        | 535              |        | 1952             | 143 | 138 |                 | 52               |
| SP 14A-25 | MS6     | 7.5        | 1872            |        | 565              |        | 2437             | 143 | 138 |                 | 60               |

E = Maximum diameter of pump inclusive of cable guard and motor.



|                     |    |
|---------------------|----|
| V7023747 0907       | GB |
| Repl. V7023747 1006 |    |

Subject to alterations.