




CR 15, CRI 15, CRN 15, CRE 15, CRIE 15, CRNE 15

Bombas centrífugas multicelulares verticales
50 Hz




Intervalo de rendimiento de CR, CRI, CRN




TM02 1192 4708

Intervalo de rendimiento de CRE, CRIE, CRNE




TM02 7281 4708

CR, CRE 15



TM02 7298 3605

Plano dimensional




TM03 1727 2805

Dimensiones y pesos


Tipo de bomba	Motor P2 [kW]	CR										CRE									
		Dimensiones [mm]								Peso neto [kg]	Dimensiones [mm]								Peso neto [kg]		
		Brida ovalada				Brida DIN					Brida ovalada	Brida DIN	Brida ovalada				Brida ovalada	Brida DIN			
		B1	B1+B2	B1	B1+B2	D1	D2	D3	B1				B1+B2	B1	B1+B2	D1				D2	D3
CR(E) 15-1	1,1	400	631	400	631	141	109	-	41	42	400	631	400	631	178	167	-	44	45		
CR(E) 15-2	2,2	415	736	415	736	178	110	-	49	50	415	736	415	736	178	167	-	59	60		
CR(E) 15-3	3	465	800	465	800	198	120	-	54	55	465	800	465	800	198	177	-	64	65		
CR 15-4	4	510	882	510	882	220	134	-	67	68	-	-	-	-	-	-	-	-	-		
CR(E) 15-5	4	555	927	555	927	220	134	-	68	69	555	927	555	927	220	188	-	78	79		
CR 15-6	5,5	632	1023	632	1023	220	134	300	90	91	-	-	-	-	-	-	-	-	-		
CR(E) 15-7	5,5	677	1068	677	1068	220	134	300	92	93	677	1068	677	1068	220	188	300	99	100		
CR 15-8	7,5	-	-	722	1101	260	159	300	-	97	-	-	-	-	-	-	-	-	-		
CR(E) 15-9	7,5	-	-	767	1146	260	159	300	-	98	-	-	767	1146	260	213	300	-	106		
CR 15-10	11	-	-	889	1360	314	204	350	-	150	-	-	-	-	-	-	-	-	-		
CR 15-12	11	-	-	979	1450	314	204	350	-	154	-	-	-	-	-	-	-	-	-		
CR(E) 15-14	11	-	-	1069	1540	314	204	350	-	158	-	-	1084	1555	314	308	350	-	202		
CR(E) 15-17	15	-	-	1204	1675	314	204	350	-	175	-	-	1219	1690	314	308	350	-	222		

CRI, CRN, CRIE, CRNE 15



TM02 7299 3605

Plano dimensional



TM03 1728 2805

Dimensiones y pesos

Tipo de bomba	Motor P ₂ [kW]	CRI/CRN										CRIE/CRNE									
		Dimensiones [mm]								Peso neto [kg]		Dimensiones [mm]								Peso neto [kg]	
		PJE/CA		Brida DIN		D1	D2	D3	PJE/CA	Brida DIN	PJE/CA		Brida DIN		D1	D2	D3	PJE/CA	Brida DIN		
		B1	B1+B2	B1	B1+B2						B1	B1+B2	B1	B1+B2							
CRI(E)/CRN(E) 15-1	1,1	397	628	397	628	141	109	-	34	39	397	628	397	628	178	167	-	37	42		
CRI(E)/CRN(E) 15-2	2,2	413	734	413	734	178	110	-	42	47	413	734	413	734	178	167	-	53	57		
CRI(E)/CRN(E) 15-3	3	463	798	463	798	198	120	-	48	53	463	798	463	798	198	177	-	58	63		
CRI/CRN 15-4	4	508	880	508	880	220	134	-	61	65	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 15-5	4	553	925	553	925	220	134	-	62	67	553	925	553	925	220	188	-	72	77		
CRI/CRN 15-6	5,5	630	1021	630	1021	220	134	300	84	89	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 15-7	5,5	675	1066	675	1066	220	134	300	86	90	675	1066	675	1066	220	188	300	92	97		
CRI/CRN 15-8	7,5	720	1099	720	1099	260	159	300	89	94	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 15-9	7,5	765	1144	765	1144	260	159	300	91	96	765	1144	765	1144	260	213	300	99	104		
CRI/CRN 15-10	11	887	1358	887	1358	314	204	350	143	148	-	-	-	-	-	-	-	-	-		
CRI/CRN 15-12	11	977	1448	977	1448	314	204	350	146	151	-	-	-	-	-	-	-	-	-		
CRI(E)/CRN(E) 15-14	11	1067	1538	1067	1538	314	204	350	150	154	1082	1553	1082	1553	314	308	350	194	199		
CRI(E)/CRN(E) 15-17	15	1202	1673	1202	1673	314	204	350	167	171	1217	1688	1217	1688	314	308	350	214	219		

96499064 0610	E
Repl. 96499064 0309	

The name Grundfos, the Grundfos logo, and the payoff Be-Think-Innovate are registered trademarks owned by Grundfos Management A/S or Grundfos A/S, Denmark. All rights reserved worldwide.