




CR-150, CRN-150, CRE-150, CRNE-150

Bombas centrífugas multicelulares verticales
50 Hz




Intervalo de rendimiento de CR, CRI, CRN




TM02 1192 4708

Intervalo de rendimiento de CRE, CRIE, CRNE




TM02 7281 4708

CR, CRE 150



TM03 8745 4708

Plano dimensional




TM03 9704 4407

Dimensiones y pesos


Tipo de bomba	Motor P ₂ [kW]	CR						CRE					
		Dimensiones [mm]					Peso neto [kg]	Dimensiones [mm]					Peso neto [kg]
		B1	B1+B2	D1	D2	D3		B1	B1+B2	D1	D2	D3	
CR(E) 150-1-1	11	834	1305	314	204	350	192	834	1305	314	308	350	221
CR(E) 150-1	15	834	1305	314	204	350	204	834	1305	314	308	350	236
CR(E) 150-2-1	22	990	1531	314	204	350	241	990	1531	314	308	350	271
CR 150-3-2	30	1145	1755	402	300	400	353	-	-	-	-	-	-
CR 150-3	37	1145	1812	402	300	400	383	-	-	-	-	-	-
CR 150-4-1	45	1301	2010	442	325	450	472	-	-	-	-	-	-
CR 150-5-2	55	1486	2233	495	392	550	617	-	-	-	-	-	-
CR 150-6	75	1642	2462	555	432	550	763	-	-	-	-	-	-

CRN, CRNE 150



TM03 8746 4708

Plano dimensional



TM03 8889 2707

Dimensiones y pesos

Tipo de bomba	Motor P ₂ [kW]	CRN						CRNE					
		Dimensiones [mm]					Peso neto [kg]	Dimensiones [mm]					Peso neto [kg]
		B1	B1+B2	D1	D2	D3		B1	B1+B2	D1	D2	D3	
CRN(E) 150-1-1	11	834	1305	314	204	350	196	834	1305	314	308	350	225
CRN(E) 150-1	15	834	1305	314	204	350	208	834	1305	314	308	350	240
CRN(E) 150-2-1	22	990	1531	314	204	350	245	990	1531	314	308	350	275
CRN 150-3-2	30	1145	1755	402	300	400	356	-	-	-	-	-	-
CRN 150-3	37	1145	1812	402	300	400	386	-	-	-	-	-	-
CRN 150-4-1	45	1301	2010	442	325	450	475	-	-	-	-	-	-
CRN 150-5-2	55	1486	2233	495	392	550	621	-	-	-	-	-	-
CRN 150-6	75	1642	2462	555	432	550	766	-	-	-	-	-	-

96499064 0610	E
Repl. 96499064 0309	

The name Grundfos, the Grundfos logo, and the payoff Be-Think-Innovate are registered trademarks owned by Grundfos Management A/S or Grundfos A/S, Denmark. All rights reserved worldwide.