




CR-90, CRN-90, CRE-90, CRNE-90

Bombas centrífugas multicelulares verticales
50 Hz




Intervalo de rendimiento de CR, CRI, CRN




TM02 1192 4708

Intervalo de rendimiento de CRE, CRIE, CRNE




TM02 7281 4708

CR, CRE 90



TM02 7308 3605

Plano dimensional




TM01 1755 2203

Dimensiones y pesos


Tipo de bomba	Motor P ₂ [kW]	CR						CRE					
		Dimensiones [mm]					Peso neto [kg]	Dimensiones [mm]					Peso neto [kg]
		B1	B1+B2	D1	D2	D3		B1	B1+B2	D1	D2	D3	
CR(E) 90-1-1	5,5	571	962	220	134	300	107	571	962	220	188	300	114
CR(E) 90-1	7,5	571	950	260	159	300	109	571	950	260	213	300	117
CR(E) 90-2-2	11	773	1244	314	204	350	169	773	1244	314	308	350	198
CR(E) 90-2	15	773	1244	314	204	350	181	773	1244	314	308	350	213
CR(E) 90-3-2	18,5	865	1380	314	204	350	199	865	1380	314	308	350	230
CR(E) 90-3	22	865	1406	314	204	350	212	865	1406	314	308	350	242
CR 90-4-2	30	957	1567	402	300	400	320	-	-	-	-	-	-
CR 90-4	30	957	1567	402	300	400	320	-	-	-	-	-	-
CR 90-5-2	37	1049	1716	402	300	400	356	-	-	-	-	-	-
CR 90-5	37	1049	1716	402	300	400	356	-	-	-	-	-	-
CR 90-6-2	45	1141	1850	442	325	450	441	-	-	-	-	-	-
CR 90-6	45	1141	1850	442	325	450	441	-	-	-	-	-	-

CRN, CRNE 90



TM02 7305 3605

Plano dimensional



TM02 1570 2203

Dimensiones y pesos

Tipo de bomba	Motor P ₂ [kW]	CRN						CRNE					
		Dimensiones [mm]					Peso neto [kg]	Dimensiones [mm]					Peso neto [kg]
		B1	B1+B2	D1	D2	D3		B1	B1+B2	D1	D2	D3	
CRN(E) 90-1-1	5,5	571	962	220	134	300	109	571	962	220	188	300	115
CRN(E) 90-1	7,5	571	950	260	159	300	111	571	950	260	213	300	118
CRN(E) 90-2-2	11	773	1244	314	204	350	170	773	1244	314	308	350	199
CRN(E) 90-2	15	773	1244	314	204	350	182	773	1244	314	308	350	214
CRN(E) 90-3-2	18,5	865	1380	314	204	350	200	865	1380	314	308	350	231
CRN(E) 90-3	22	865	1406	314	204	350	214	865	1406	314	308	350	244
CRN 90-4-2	30	957	1567	402	300	400	321	-	-	-	-	-	-
CRN 90-4	30	957	1567	402	300	400	321	-	-	-	-	-	-
CRN 90-5-2	37	1049	1716	402	300	400	359	-	-	-	-	-	-
CRN 90-5	37	1049	1716	402	300	400	359	-	-	-	-	-	-
CRN 90-6-2	45	1141	1850	442	325	450	443	-	-	-	-	-	-
CRN 90-6	45	1141	1850	442	325	450	443	-	-	-	-	-	-

96499064 0610	E
Repl. 96499064 0309	

The name Grundfos, the Grundfos logo, and the payoff Be-Think-Innovate are registered trademarks owned by Grundfos Management A/S or Grundfos A/S, Denmark. All rights reserved worldwide.