





SP 14A

Bombas sumergibles, motores y accesorios
50 Hz




Gama de trabajo



TM00 7254 4702


SP 14A



TM00 7276 4702

Explicación de la curva de rendimiento, véase "Condiciones de la curva" en la página 5.

Dimensiones y pesos



TM00 0957 1196

Tipo de bomba	Motor		Dimensiones [mm]							Peso neto [kg]	
	Tipo	Potencia [kW]	C	B		A		D	E		
				1x230V	3x230V 3x400V	1x230V	3x230V 3x400V			1x230V	3x230V 3x400V
SP 14A-5	MS 402	1.5	510	346	346	856	856	95	101	18	17
SP 14A-7	MS 4000	2.2	640	573		1213		95	101	29	
SP 14A-7	MS 402	2.2	640		346		986	95	101		19
SP 14A-10	MS 4000	3.0	835		493		1328	95	101		27
SP 14A-13	MS 4000	4.0	1030		573		1603	95	101		33
SP 14A-18	MS 4000	5.5	1355		673		2028	95	101		41
SP 14A-25	MS 4000	7.5	1810		773		2584	95	101		67
SP 14A-18	MS6	5.5	1417		535		1952	143	138		52
SP 14A-25	MS6	7.5	1872		565		2437	143	138		60

E = Diámetro máximo de la bomba incluyendo el protector del cable y el motor.

96506720 0208	E
Repl. 96506720 0403	

Nos reservamos el derecho a modificaciones.