

FOOT VALVE, STEEL W/SPRING 3"

Grundfos pump 956130



Thank you for your interest in our products. Please contact us for more information, or visit our website

<https://www.lenntech.com/grundfos/PIPECON/956130/BVF-FOOT-VALVE.html>


info@lenntech.com

tel. +31 152 610 900


fax. +31 152 616 289

Position	Qty.	Description
	1	Product name: BVF, foot valve Product No.: On request EAN number: On request Materials: Material: Cast iron Installation: Flange standard: DIN Pipework connection: DN 80 Pressure rating: PN 25 Liquid: Maximum liquid temperature: 70 °C

Description	Value
General information:	
Product name:	BVF, foot valve
Product No:	On request
EAN number:	On request
Materials:	
Material:	Cast iron
Installation:	
Flange standard:	DIN
Pipework connection:	DN 80
Pressure rating:	PN 25
Liquid:	
Maximum liquid temperature:	70 °C




On request BVF, foot valve 50 Hz




Note! All units are in [mm] unless others are stated.
Disclaimer: This simplified dimensional drawing does not show all details.

Exploded view




Sectional drawing (TM058200 for TPE2,TPE3)



TM058200

Exploded view (TM057026 for MGE model H/I)



Disclaimer: The information about the Grundfos pump in this document may be outdated.

Data may be subject to alterations without further notice.

Please contact us to verify the data above is still accurate/up-to-date.

All information is copyright Grundfos.



info@lenntech.com

<https://www.lenntech.com>

tel. +31 152 610 900

fax. +31 152 616 289